

ZOOT 50cc



ZOOT 125cc









- **✓** Exceptional Value
- ✓ Long Wheelbase
- ✓ Front & Rear Disc Brakes
- ✓ Powerful 2T Engine
- √ Smooth & Stylish Ride

Introducing the all-new **Zoot Rogue**, a 50cc scooter that offers unbeatable value for money and exceptional economy. This two-stroke moped is designed to provide reliable transportation without breaking the bank.

The Zoot Rogue is built with a larger frame, ensuring that taller riders can enjoy their daily commute or leisurely rides without any worries. With its reliable and efficient engine, the Zoot Rogue is the perfect choice for those seeking an economical and practical means of transportation.

Available in Black.

"Fun to Ride, Cheap to Own."

Zoot Rogue Mod	el Specifications
Engine Displacement	50cc
Engine	2 Stroke
Induction System	Carburettor
Fuel Tank Capacity	4.5L
Maximum Power	2.8KW
Clutch / Gear Box	Automatic
Cooling System	Air cooled
Ignition	CDI
Economy*	>30KM per Litre
Final Drive	Belt
Brakes Front / Rear	Disc/disc
Starting System	Electric or Kick
Instrument Cluster	Digital Easy Read Display
Headlight	Halogen/Hi/Lo
Taillight	Filament Globe
Wheels Front / Rear	12" Alloy
Front Suspension	Telescopic Fork
Rear Suspension	Hydraulic Mono-Shock
Tyres Front / Rear	120/70-12, 130/70-12
Dimensions L / W / H	1870mm/400mm/1120mm
Wheelbase	1290mm
Seat Height	790mm
Weight Wet	95kg
Carrying Capacity / Base	135kg / 85kg
Battery Size	12V / 8AH
Large Under Seat Storage	Yes
2 People capacity	Yes
2-Year / 10,000km Warranty**	Yes







- **✓** Bright Visible Colour
- **✓** Reliable 4-Stroke Engine
- ✓ Low Seat Height
- ✓ Smaller Wheels
- **✓** Ideal Learner Scooter

Introducing the **Zoot City XS**, specifically designed for learners or shorter stature riders, its ideal as a first scooter. It has the lowest seat height of all our scooters allowing most people to put both feet on the ground when coming to a stop.

Fitted with a 50cc four-stroke engine, giving the rider a linear power delivery and easily manageable acceleration, when compared to a two-stroke engine. No oil to add or levels to monitor, it's just like a car, just add fuel, Twist & Go.

Brightly coloured so you are clearly visible & safe in traffic. This is a great looking entry level scooter for all age groups.

Available in Tangerine.

"Fun to Ride, Cheap to Own."

Zoot City XS Model Specifications

Engine Displacement	50cc
Engine	4 Stroke
Induction System	Carburettor
Fuel Tank Capacity	5.5L
Maximum Power	2.2KW
Clutch / Gear Box	Automatic
Cooling System	Air cooled
Ignition	CDI
Economy*	>30KM per Litre
Final Drive	Belt
Brakes Front / Rear	Disc/Drum
Starting System	Electric or Kick
Instrument Cluster	Analogue
Headlight	Halogen
Taillight	Globe
Taillight Wheels Front / Rear	Globe 10"
Wheels Front / Rear	10"
Wheels Front / Rear Front Suspension	10" Telescopic Fork
Wheels Front / Rear Front Suspension Rear Suspension	10" Telescopic Fork Hydraulic Mono-Shock
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear	10" Telescopic Fork Hydraulic Mono-Shock 3.5/10, 3.5/10
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H	10" Telescopic Fork Hydraulic Mono-Shock 3.5/10, 3.5/10 1720mm / 645mm / 1110mm
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase	10" Telescopic Fork Hydraulic Mono-Shock 3.5/10, 3.5/10 1720mm / 645mm / 1110mm 1210mm
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height	10" Telescopic Fork Hydraulic Mono-Shock 3.5/10, 3.5/10 1720mm / 645mm / 1110mm 1210mm 740mm
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height Weight Wet	10" Telescopic Fork Hydraulic Mono-Shock 3.5/10, 3.5/10 1720mm / 645mm / 1110mm 1210mm 740mm 83kg
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height Weight Wet Carrying Capacity / Base	10" Telescopic Fork Hydraulic Mono-Shock 3.5/10, 3.5/10 1720mm / 645mm / 1110mm 1210mm 740mm 83kg 100kg / 75kg
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height Weight Wet Carrying Capacity / Base Battery Size	10" Telescopic Fork Hydraulic Mono-Shock 3.5/10, 3.5/10 1720mm / 645mm / 1110mm 1210mm 740mm 83kg 100kg / 75kg 12V / 8AH





- **✓** Easy Start
- ✓ Simply Twist & Go
- ✓ Powerful 2T Engine
- ✓ Great Value
- **✓** Perfect Commuter

Introducing the **Zoot City 50cc** scooter, designed for easy, zippy, and fuel-efficient commuting.

Tailored to Australian conditions, with years of proven reliability our innovative self-mixing 2-stroke engine, with electric start ensures a seamless and efficient ride for your daily commute. Experience outstanding performance and convenience with the City scooter - simply start, Twist & Go!

The City is the perfect choice for those who need a reliable mode of transportation to and from work or studies in the CBD, without the hassle of trains and buses.

Available in Black & White.

"Fun to Ride, Cheap to Own."



Zoot	City	Mode	Spe	cifi	cati	ons
2001	CILY	MOGE	JP		cati	OHS

Engine Displacement	50cc
Engine	2 Stroke
Induction System	Carburettor
Fuel Tank Capacity	5.5L
Maximum Power	3.2KW
Clutch / Gear Box	Automatic
Cooling System	Air cooled
Ignition	CDI
Economy*	>30KM per Litre
Final Drive	Belt
Brakes Front / Rear	Disc/Drum
Starting System	Electric or Kick
Instrument Cluster	Analogue
Headlight	Halogen
Taillight	LED
Wheels Front / Rear	12" Alloy
Front Suspension	Telescopic Fork
Rear Suspension	Hydraulic Mono-Shock
Tyres Front / Rear	120/70-12, 120/70-12
Dimensions L / W / H	1690mm / 645mm / 1135mm
Wheelbase	1220mm
Seat Height	805mm
Weight Wet	83kg
Carrying Capacity / Base	110kg / 80kg
Battery Size	12V / 8AH
Large Under Seat Storage	Yes
2 People capacity	Yes
2-Year / 10,000km Warranty**	Yes



ZOOT METRO 50





- ✓ Long Wheelbase
- **✓** Electronic Fuel Injection
- ✓ Sport Styling
- ✓ LED Lights
- ✓ Front & Rear Disc Brakes
- **✓** Digital Instruments

The **Zoot Metro MY24** is our larger, sportier 50cc scooter. The MY24 version represents a significant leap forward in terms of innovation and technology, making it the most advanced Metro model to date.

With sleek lines and a modern aesthetic, the Zoot Metro scooter is perfect for urban commuters looking to navigate city streets with ease and confidence. Equipped with cutting-edge features like fuel injection, a digital instrument cluster and upgraded four stroke engine, the Metro offers a smooth and dynamic ride experience.

Make a statement on the road with the new Zoot Metro 50cc scooter - where speed, style, and functionality converge seamlessly.

Available in Blue, Black & White.

"Fun to Ride, Cheap to Own."

Zoot Metro 50 Model Specifications

Engine Displacement	50cc
Engine	4 Stroke EFI
Induction System	Continental EFI
Fuel Tank Capacity	5.5L
Maximum Power	2.8KW
Clutch / Gear Box	Automatic
Cooling System	Air cooled
Ignition	ECU
Economy*	2.2L/100km
Final Drive	Belt
Brakes Front / Rear	Disc/Disc
Starting System	Electric or Kick
Instrument Cluster	Digital Easy Read Display
Headlight	LED & Daytime Running Light
Taillight	LED
Wheels Front / Rear	12" Alloy
Wheels Front / Rear Front Suspension	12" Alloy Telescopic Fork
	-
Front Suspension	Telescopic Fork
Front Suspension Rear Suspension	Telescopic Fork Hydraulic Mono-Shock
Front Suspension Rear Suspension Tyres Front / Rear	Telescopic Fork Hydraulic Mono-Shock 120/70-12, 120/70-12
Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H	Telescopic Fork Hydraulic Mono-Shock 120/70-12, 120/70-12 1820mm / 460mm / 1140mm
Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase	Telescopic Fork Hydraulic Mono-Shock 120/70-12, 120/70-12 1820mm / 460mm / 1140mm 1290mm
Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height	Telescopic Fork Hydraulic Mono-Shock 120/70-12, 120/70-12 1820mm / 460mm / 1140mm 1290mm 790mm
Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height Weight Wet	Telescopic Fork Hydraulic Mono-Shock 120/70-12, 120/70-12 1820mm / 460mm / 1140mm 1290mm 790mm 100kg
Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height Weight Wet Carrying Capacity / Base	Telescopic Fork Hydraulic Mono-Shock 120/70-12, 120/70-12 1820mm / 460mm / 1140mm 1290mm 790mm 100kg 135kg / 85kg
Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height Weight Wet Carrying Capacity / Base Battery Size	Telescopic Fork Hydraulic Mono-Shock 120/70-12, 120/70-12 1820mm / 460mm / 1140mm 1290mm 790mm 100kg 135kg / 85kg 12V / 8AH



ZOOT METRO 125





- ✓ Powerful 125cc 4T
- **✓** Electronic Fuel Injection
- ✓ LAMS Approved
- √ 13" Alloy Wheels
- ✓ Combined Braking System
- ✓ Perfect Commuter

The **Zoot Metro MY24** is our larger, sportier 125cc scooter. The MY24 version represents a significant leap forward in terms of innovation and technology, making it the most advanced Metro model to date.

With sleek lines and a modern aesthetic, the Zoot Metro scooter is perfect for urban commuters looking to navigate city streets with ease and confidence. Equipped with cutting-edge features like fuel injection, a digital instrument cluster and upgraded four stroke engine, the Metro offers a smooth and dynamic ride experience.

Make a statement on the road with the new Zoot Metro - where speed, style, and functionality converge seamlessly.

Available in Blue, Black & White.

"Fun to Ride, Cheap to Own."

Zoot Metro 125 Model Specifications

Engine Displacement	125cc
Engine	4 Stroke EFI
Induction System	Delphi EFI
Fuel Tank Capacity	5.5L
Maximum Power	6.4KW
Clutch / Gear Box	Automatic
Cooling System	Air cooled
Ignition	ECU
Economy*	2.2L/100km
Final Drive	Belt
Brakes Front / Rear	Disc/Disc
Starting System	Electric or Kick
Instrument Cluster	Digital Easy Read Display
Headlight	LED & Daytime Running Light
Taillight	LED
Wheels Front / Rear	13" Alloy
Front Suspension	Telescopic Fork
Rear Suspension	Hydraulic Mono-Shock
Tyres Front / Rear	120/60-13, 120/60-13
Dimensions L / W / H	1810mm / 460mm / 1130mm
Wheelbase	1310mm
Seat Height	790mm
Weight Wet	115kg
Carrying Capacity / Base	150kg / 85kg
Battery Size	12V / 8AH
Large Under Seat Storage	Yes
2 People capacity	Yes
2-Year / 10,000km Warranty	Yes







- ✓ European Design
- ✓ Range of Colours
- ✓ White Wall Tyres
- ✓ Digital Dash
- ✓ Euro V Emission Standard
- **✓** Electronic Fuel Injection

The **Zoot Milan 50** is a beautiful, European designed Scooter, with soft curvy lines and a host of modern features that make it stand out in the crowd.

This stylish scooter is perfect for commuters or a Sunday ride to the beach. The Zoot Milan 50 boasts a low emission, fuel injected, 50cc engine that provides smooth acceleration and excellent fuel efficiency.

Its ergonomic design ensures a comfortable ride, while the spacious under the seat storage compartment allows riders to easily carry their essentials. With its elegant appearance, the Milan is sure to turn heads wherever it goes.

Available in Marine, Black & White.

"Fun to Ride, Cheap to Own."

Zoot Milan 50 Model Specifications

Engine Displacement	50cc
Engine	4 Stroke EFI
Induction System	Continental EFI
Fuel Tank Capacity	5.0L
Maximum Power	2.8KW
Clutch / Gear Box	Automatic
Cooling System	Air cooled
Ignition	ECU
Economy*	2.2L/100km
Final Drive	Belt
Brakes Front / Rear	Disc/Disc
Starting System	Electric or Kick
Instrument Cluster	Digital Easy Read Display
Headlight	LED Daytime Running, Halogen
Taillight	LED
Taillight Wheels Front / Rear	LED 12" Alloy
-	
Wheels Front / Rear	12" Alloy
Wheels Front / Rear Front Suspension	12" Alloy Telescopic Fork
Wheels Front / Rear Front Suspension Rear Suspension	12" Alloy Telescopic Fork Hydraulic Mono-Shock
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear	12" Alloy Telescopic Fork Hydraulic Mono-Shock 120/70-12, 130/70-12
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H	12" Alloy Telescopic Fork Hydraulic Mono-Shock 120/70-12, 130/70-12 1820mm/430mm/1170mm
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase	12" Alloy Telescopic Fork Hydraulic Mono-Shock 120/70-12, 130/70-12 1820mm/430mm/1170mm 1285mm
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height	12" Alloy Telescopic Fork Hydraulic Mono-Shock 120/70-12, 130/70-12 1820mm/430mm/1170mm 1285mm 800mm
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height Weight Wet	12" Alloy Telescopic Fork Hydraulic Mono-Shock 120/70-12, 130/70-12 1820mm/430mm/1170mm 1285mm 800mm 92kg
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height Weight Wet Carrying Capacity / Base	12" Alloy Telescopic Fork Hydraulic Mono-Shock 120/70-12, 130/70-12 1820mm/430mm/1170mm 1285mm 800mm 92kg 135kg / 85kg
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height Weight Wet Carrying Capacity / Base Battery Size	12" Alloy Telescopic Fork Hydraulic Mono-Shock 120/70-12, 130/70-12 1820mm/430mm/1170mm 1285mm 800mm 92kg 135kg / 85kg 12V / 8AH



ZOOT MILAN 125





- ✓ European Design
- **✓** Range of Colours
- ✓ Powerful 125cc 4T Engine
- ✓ Electronic Fuel Injection
- ✓ Euro V Emission Standard
- ✓ LAMS Approved

Just like the 50cc version, but with much better performance and a higher top speed. The **Zoot Milan 125** is a beautiful, European designed Scooter, with soft curvy lines and a host of modern features that make it stand out in the crowd.

This stylish scooter is perfect for commuters or a Sunday ride to the beach. The Zoot Milan 125 boasts a powerful, fuel injected engine with a sharp acceleration, yet still manages 2.2L per 100km fuel efficiency.

Its ergonomic design ensures a comfortable ride, while the spacious under the seat storage compartment allows riders to easily carry their essentials. With its elegant appearance, the Milan is sure to turn heads wherever it goes.

Available in Marine, Black & White.

"Fun to Ride, Cheap to Own."

Zoot Milan 125 Model Specifications

Engine Displacement	125cc
Engine	4 Stroke EFI
Induction System	Continental EFI
Fuel Tank Capacity	5.0L
Maximum Power	6.5KW
Clutch / Gear Box	Automatic
Cooling System	Air cooled
Ignition	ECU
Economy*	2.2L/100km
Final Drive	Belt
Brakes Front / Rear	Disc/Disc
Starting System	Electric or Kick
Instrument Cluster	Digital Easy Read Display
Headlight	LED Daytime, Halogen Hi/Lo
Taillight	LED
Taillight Wheels Front / Rear	LED 12" Alloy
_	
Wheels Front / Rear	12" Alloy
Wheels Front / Rear Front Suspension	12" Alloy Telescopic Fork
Wheels Front / Rear Front Suspension Rear Suspension	12" Alloy Telescopic Fork Hydraulic Mono-Shock
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear	12" Alloy Telescopic Fork Hydraulic Mono-Shock 120/70-12, 130/70-12
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H	12" Alloy Telescopic Fork Hydraulic Mono-Shock 120/70-12, 130/70-12 1820mm/430mm/1170mm
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase	12" Alloy Telescopic Fork Hydraulic Mono-Shock 120/70-12, 130/70-12 1820mm/430mm/1170mm 1340mm
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height	12" Alloy Telescopic Fork Hydraulic Mono-Shock 120/70-12, 130/70-12 1820mm/430mm/1170mm 1340mm 800mm
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height Weight Wet	12" Alloy Telescopic Fork Hydraulic Mono-Shock 120/70-12, 130/70-12 1820mm/430mm/1170mm 1340mm 800mm
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height Weight Wet Carrying Capacity / Base	12" Alloy Telescopic Fork Hydraulic Mono-Shock 120/70-12, 130/70-12 1820mm/430mm/1170mm 1340mm 800mm 110kg 150kg / 85kg
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height Weight Wet Carrying Capacity / Base Battery Size	12" Alloy Telescopic Fork Hydraulic Mono-Shock 120/70-12, 130/70-12 1820mm/430mm/1170mm 1340mm 800mm 110kg 150kg / 85kg 12V / 8AH

ZOOT SUBURBAN

Perfect
For
The
Longer
Commute



- **✓** Large Wheels
- ✓ Smooth Ride
- ✓ Perfect Commuter
- ✓ Powerful & Economical
- √ LAMS Approved

The **Zoot Suburban 125cc** is the nimble, smooth operating big brother in the Zoot Scooters range. Designed specifically for individuals with longer commutes. Boasting a 16" front wheel and an extended wheelbase, this scooter provides superior comfort and stability.

The Suburban's 125cc 4-Stroke fuel injected engine sets it apart with an impressive power output, delivering a smoother and quieter ride.

This scooter is designed to accommodate two people and even includes under-seat storage. Equipped with halogen lights for enhanced visibility, a digital dash and Combined Braking System for safety, the Suburban ensures a safe, fun and economical way to travel.

Whether you're commuting to work or running errands, the Suburban offers a reliable mode of transportation.

Available in Grey, White & Blue.

"Fun to Ride, Cheap to Own."

Zoot Suburban Model Specifications

Engine Displacement	125cc
Engine	4 Stroke EFI
Induction System	Continental EFI
Fuel Tank Capacity	5.0L
Maximum Power	6.5KW
Clutch / Gear Box	Automatic
Cooling System	Air cooled
Ignition	ECU
Economy*	2.2L/100km
Final Drive	Belt
Brakes Front / Rear	Disc/Disc
Starting System	Electric or Kick
Instrument Cluster	Digital Easy Read Display
Headlight	Halogen/Hi/Lo
Taillight	LED
Taillight Wheels Front / Rear	LED 16"/ 14" Alloy
_	
Wheels Front / Rear	16"/ 14" Alloy
Wheels Front / Rear Front Suspension	16"/ 14" Alloy Telescopic Fork
Wheels Front / Rear Front Suspension Rear Suspension	16"/ 14" Alloy Telescopic Fork Hydraulic Mono-Shock
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear	16"/ 14" Alloy Telescopic Fork Hydraulic Mono-Shock 100/80-16, 120/70-14
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H	16"/ 14" Alloy Telescopic Fork Hydraulic Mono-Shock 100/80-16, 120/70-14 2040mm/700mm/1130mm
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase	16"/ 14" Alloy Telescopic Fork Hydraulic Mono-Shock 100/80-16, 120/70-14 2040mm/700mm/1130mm 1340mm
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height	16"/ 14" Alloy Telescopic Fork Hydraulic Mono-Shock 100/80-16, 120/70-14 2040mm/700mm/1130mm 1340mm 820mm
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height Weight Wet	16"/ 14" Alloy Telescopic Fork Hydraulic Mono-Shock 100/80-16, 120/70-14 2040mm/700mm/1130mm 1340mm 820mm
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height Weight Wet Carrying Capacity / Base	16"/ 14" Alloy Telescopic Fork Hydraulic Mono-Shock 100/80-16, 120/70-14 2040mm/700mm/1130mm 1340mm 820mm 110kg 150kg / 85kg
Wheels Front / Rear Front Suspension Rear Suspension Tyres Front / Rear Dimensions L / W / H Wheelbase Seat Height Weight Wet Carrying Capacity / Base Battery Size	16"/ 14" Alloy Telescopic Fork Hydraulic Mono-Shock 100/80-16, 120/70-14 2040mm/700mm/1130mm 1340mm 820mm 110kg 150kg / 85kg 12V / 8AH



What fuel should I use in my Zoot Scooter?

Use 95 Octane unleaded fuel. Important: <u>Do not use</u> E10 or 91 Octane fuel.

Do I have to mix the oil & petrol like the old 2-stoke Scooters?

There is NO measuring or mixing necessary thanks to our industry-leading oil injection system, which is fitted to all 50cc Zoot Scooters. Simply fill the fuel tank up with 95 Octane unleaded fuel, and the scooter will mix the fuel & oil together all by itself.

What oil should I use in my 2-stoke Scooter?

Use a good quality, Semi-Synthetic or full Synthetic low smoke, 2T Scooter oil.

<u>Do not use</u> cheap 2T oil designed for chainsaws or boats - this could cause damage to the scooter.

Important: Do not mix oil with fuel; simply add to the oil bottle when dash light comes on.

When does my scooter need to have its first service?

Your scooter's first service is critical and must be performed between 300km - 500km. A failure to do so will void the scooter's warranty.

Service charges apply.

What warranty comes with my Zoot Scooter?

All Zoot Scooters come with a 2-year / 10,000km warranty.*

What licence do I need to ride a 50cc Scooter?

As of October 2018, In South Australia, Queensland and Western Australia, you don't need a special licence to ride a 50cc Scooter if you have one for the car.

Please visit your State Government authority to get all the detail.

Can I ride a Scooter with a learners permit?

No, you need a driver's licence or provisional driver's licence to ride a moped.

Learners in South Australia, Queensland, Northern Territory and Western

Australia must pass a riding test and obtain a RD Learners Permit before they

can legally ride a moped.



11-13 Main Street, Osborne Park WA 6017 (08) 9443 3555 (08) 9444 3618 sales@rickgillmotorcycles.com.au www.rickgillmotorcycles.com.au

ZOOT SCOOTERS

(08) 7079 8355 sales@zootscooters.com.au www.zootscooters.com.au



@zoot_scooters



@zootscooters